

Table Of Contents

Polypropylene Flame Retardant - PPS

	<u>Page</u>
DUCT	
Duct.....	5
<u>Fittings</u>	
90 Degree Elbows.....	5
75 Degree Elbows.....	5
60 Degree Elbows.....	5
45 Degree Elbows.....	6
30 Degree Elbows.....	6
15 Degree Elbows.....	6
90 Degree Trouser.....	6
30 Degree Trouser.....	7
45 Degree Double Wye.....	7
Tee.....	7
45 Degree Lateral.....	7
Reducer 90 Degree Saddle.....	8
Reducer 45 Degree Saddle.....	8
Coupling.....	8
End Cap.....	8
Concentric Reducer.....	9
Eccentric Reducer.....	9
Flange.....	10
Blind Flange.....	10
Expansion Joint - Flanged End.....	10
Expansion Joint - Socket End.....	10
Flexible Coupling.....	10
Volume Control Damper.....	11
Flow Controller.....	11
Exhaust Stack w/ Rain Deflector.....	11
Deflector Cowl.....	11
Blast Gate.....	12
Bird Mesh Grille.....	12

Polypropylene, Non-Flame Retardant - PPD (Consult factory for availability.)

	<u>Page</u>
<u>Duct</u>	
Duct.....	5
<u>Fittings</u>	
90 Degree Elbows.....	5
75 Degree Elbows.....	5
60 Degree Elbows.....	5
45 Degree Elbows.....	6

ProDuct is available up to 48", contact SIMTECH for pricing.

ProDuct - Fume Exhaust Systems

PIPE

Size		Polypropylene - Flame Retardant	Polypropylene - Standard
		PPS	PPD
Nom-in	O.D.-mm	(PS08000)	(PP02000)* 3" through 14" (PP08000)** 16" through 48"
3"	(090)	P.O.A.	P.O.A.
4"	(110)	182.25	114.48
6"	(160)	258.27	235.69
8"	(200)	332.06	365.98
10"	(250)	493.06	572.41
12"	(315)	938.05	902.41
14"	(355)	1,064.38	1,083.94
16"	(400)	1,435.58	1,304.65
18"	(450)	2,330.01	1,708.68
20"	(500)	2,956.12	2,156.29
22"	(560)	3,309.42	2,583.07
24"	(630)	4,487.85	3,624.01
28"	(710)	P.O.A.	4,877.00
32"	(800)	P.O.A.	6,843.22

* 3" PPD SDR 11 / 150 PSI Rated Pipe

** 6" thru 14" PPD SDR 33 / 45 PSI Rated Pipe

* All prices shown are per length - **Sold in 5 meters (16.4') Lengths.**

* Actual O.D. of pipe is metric dimension, English units are nominal iron pipe sizes.

Pipe is available up to 1000mm, contact SIMTECH for pricing.

75° ELBOW

Size		Polypropylene - Flame Retardant	Polypropylene - Standard
		PPS	PPD
Nom-in	O.D.-mm	(B24)	(B34)
3"	(090)	42.50	42.50
4"	(110)	44.20	44.20
6"	(160)	60.10	60.10
8"	(200)	72.50	72.50
10"	(250)	107.90	107.90
12"	(315)	281.20	281.20
14"	(355)	320.20	320.20
16"	(400)	336.10	336.10
18"	(450)	578.40	578.40
20"	(500)	755.30	755.30
24"	(630)	1,391.00	1,391.00

90° ELBOW

Size		Polypropylene - Flame Retardant	Polypropylene - Standard
		PPS	PPD
Nom-in	O.D.-mm	(B21)	(B31)
3"	(090)	35.40	35.40
4"	(110)	37.10	37.10
6"	(160)	53.10	53.10
8"	(200)	63.70	63.70
10"	(250)	92.00	92.00
12"	(315)	238.80	238.80
14"	(355)	275.90	275.90
16"	(400)	290.10	290.10
18"	(450)	599.60	599.60
20"	(500)	739.40	739.40
24"	(630)	1,181.60	1,181.60

60° ELBOW

Size		Polypropylene - Flame Retardant	Polypropylene - Standard
		PPS	PPD
Nom-in	O.D.-mm	(B25)	(B35)
3"	(090)	33.60	33.60
4"	(110)	35.40	35.40
6"	(160)	51.30	51.30
8"	(200)	61.90	61.90
10"	(250)	90.20	90.20
12"	(315)	237.00	237.00
14"	(355)	274.20	274.20
16"	(400)	288.30	288.30
18"	(450)	597.90	597.90
20"	(500)	737.60	737.60
24"	(630)	1,247.00	1,247.00

PPS is standard inventory, consult factory for availability on PPD

ProDuct is available up to 48", contact SIMTECH for pricing.

ProDuct - Fume Exhaust Systems

45° ELBOW

Size		Polypropylene - Flame Retardant	Polypropylene - Standard
		PPS	PPD
Nom-in	O.D.-mm	(B22)	(B32)
3"	(090)	23.00	23.00
4"	(110)	24.80	24.80
6"	(160)	44.20	44.20
8"	(200)	51.30	51.30
10"	(250)	69.00	69.00
12"	(315)	185.70	185.70
14"	(355)	206.90	206.90
16"	(400)	210.50	210.50
18"	(450)	472.30	472.30
20"	(500)	612.00	612.00
24"	(630)	806.60	806.60

30° ELBOW

Size		Polypropylene - Flame Retardant	Polypropylene - Standard
		PPS	PPD
Nom-in	O.D.-mm	(B23)	(B33)
3"	(090)	21.20	21.20
4"	(110)	21.20	21.20
6"	(160)	37.10	37.10
8"	(200)	47.80	47.80
10"	(250)	58.40	58.40
12"	(315)	157.40	157.40
14"	(355)	176.90	176.90
16"	(400)	185.70	185.70
18"	(450)	355.50	355.50
20"	(500)	513.00	513.00
24"	(630)	675.70	675.70

15° ELBOW

Size		Polypropylene - Flame Retardant	Polypropylene - Standard
		PPS	PPD
Nom-in	O.D.-mm	(B26)	(B36)
3"	(090)	37.10	37.10
4"	(110)	40.70	40.70
6"	(160)	53.10	53.10
8"	(200)	58.40	58.40
10"	(250)	74.30	74.30
12"	(315)	238.80	238.80
14"	(355)	252.90	252.90
16"	(400)	256.50	256.50
18"	(450)	336.10	336.10
20"	(500)	502.30	502.30
24"	(630)	766.00	766.00

90° TROUSER

Size		Polypropylene - Flame Retardant	Polypropylene - Standard
		PPS	PPD
Nom-in	O.D.-mm	(H21)	(H31)
3"	(090)	122.00	122.00
4"	(110)	130.90	130.90
6"	(160)	189.30	189.30
8"	(200)	251.20	251.20
10"	(250)	362.00	362.00
12"	(315)	626.20	626.20
14"	(355)	702.20	702.20
16"	(400)	748.20	748.20
18"	(450)	1,480.50	1,480.50
20"	(500)	1,774.10	1,774.10

PPS is standard inventory, consult factory for availability on PPD

ProDuct is available up to 48", contact SIMTECH for pricing.

ProDuct - Fume Exhaust Systems

30° TROUSER

Size		Polypropylene - Flame Retardant	Polypropylene - Standard
		PPS	PPD
Nom-in	O.D.-mm	(H23)	(H33)
3"	(090)	99.10	99.10
4"	(110)	109.70	109.70
6"	(160)	164.50	164.50
8"	(200)	201.60	201.60
10"	(250)	311.30	311.30
12"	(315)	534.20	534.20
14"	(355)	557.20	557.20
16"	(400)	576.60	576.60
18"	(450)	1,156.80	1,156.80
20"	(500)	1,436.30	1,436.30

45° DOUBLE WYE

Size		Polypropylene - Flame Retardant	Polypropylene - Standard
		PPS	PPD
Nom-in	O.D.-mm	(H22)	(H32)
3"	(090)	102.60	102.60
4"	(110)	113.20	113.20
6"	(160)	171.60	171.60
8"	(200)	210.50	210.50
10"	(250)	325.50	325.50
12"	(315)	558.90	558.90
14"	(355)	583.70	583.70
16"	(400)	603.20	603.20
18"	(450)	1,213.40	1,213.40
20"	(500)	1,507.00	1,507.00

TEE

Size		Polypropylene - Flame Retardant	Polypropylene - Standard
		PPS	PPD
Nom-in	O.D.-mm	(T21)	(T31)
3"	(090M)	143.30	143.30
4"	(110M)	159.20	159.20
6"	(160M)	194.60	194.60
8"	(200M)	242.30	242.30
10"	(250M)	332.50	332.50
12"	(315M)	438.70	438.70
14"	(355M)	576.60	576.60
16"	(400M)	635.00	635.00
18"	(450M)	840.20	840.20
20"	(500M)	909.20	909.20
22"	(560M)	1,096.70	1,096.70
24"	(630M)	1,369.10	1,369.10

45° LATERAL

Size		Polypropylene - Flame Retardant	Polypropylene - Standard
		PPS	PPD
Nom-in	O.D.-mm	(T22)	(T32)
3"	(090M)	185.70	185.70
4"	(110M)	206.90	206.90
6"	(160M)	252.90	252.90
8"	(200M)	350.20	350.20
10"	(250M)	481.10	481.10
12"	(315M)	635.00	635.00
14"	(355M)	833.10	833.10
16"	(400M)	918.00	918.00
18"	(450M)	1,093.10	1,093.10
20"	(500M)	1,181.60	1,181.60
22"	(560M)	1,425.70	1,425.70
24"	(630M)	1,779.40	1,779.40

PPS is standard inventory, consult factory for availability on PPD

ProDuct is available up to 48", contact SIMTECH for pricing.

SIMTECH

Phone: 877-777-2467 Fax: 215-547-9129

www.SimtechUSA.com

ProDuct - Fume Exhaust Systems

90° SADDLE

Size		Polypropylene - Flame Retardant	Polypropylene - Standard
		PPS	PPD
Nom-in	O.D.-mm	(SA21)	(SA31)
3"	(090M)	76.10	76.10
4"	(110M)	83.10	83.10
6"	(160M)	138.00	138.00
8"	(200M)	169.00	169.00
10"	(250M)	210.50	210.50
12"	(315M)	465.20	465.20
14"	(355M)	514.70	514.70
16"	(400M)	557.20	557.20
18"	(450M)	668.60	668.60
20"	(500M)	755.30	755.30
22"	(560M)	834.90	834.90
24"	(630M)	953.40	953.40

45° SADDLE

Size		Polypropylene - Flame Retardant	Polypropylene - Standard
		PPS	PPD
Nom-in	O.D.-mm	(SA21)	(SA31)
3"	(090M)	82.29	82.29
4"	(110M)	90.00	90.00
6"	(160M)	119.90	119.90
8"	(200M)	138.54	138.54
10"	(250M)	206.36	206.36
12"	(315M)	288.97	288.97
14"	(355M)	368.05	368.05
16"	(400M)	463.52	463.52
18"	(450M)	729.03	729.03
20"	(500M)	855.35	855.35

COUPLING

Size		Polypropylene - Flame Retardant	Polypropylene - Standard
		PPS	PPD
Nom-in	O.D.-mm	(M2)	(M3)
3"	(090)	31.80	31.80
4"	(110)	17.70	17.70
6"	(160)	23.00	23.00
8"	(200)	28.30	28.30
10"	(250)	35.40	35.40
12"	(315)	42.50	42.50
14"	(355)	99.10	99.10
16"	(400)	109.70	109.70
18"	(450)	196.30	196.30
20"	(500)	214.00	214.00
22"	(560)	260.00	260.00
24"	(630)	291.90	291.90

END CAP

Size		Polypropylene - Flame Retardant	Polypropylene - Standard
		PPS	PPD
Nom-in	O.D.-mm	(E2)	(E3)
3"	(090)	29.70	29.70
4"	(110)	33.60	33.60
6"	(160)	47.80	47.80
8"	(200)	60.10	60.10
10"	(250)	77.80	77.80
12"	(315)	99.10	99.10
14"	(355)	107.90	107.90
16"	(400)	127.40	127.40
18"	(450)	168.00	168.00
20"	(500)	182.20	182.20
22"	(560)	205.20	205.20
24"	(630)	242.30	242.30

PPS is standard inventory, consult factory for availability on PPD

ProDuct is available up to 48", contact SIMTECH for pricing.

ProDuct - Fume Exhaust Systems

CONCENTRIC REDUCER

Size		Polypropylene - Flame Retardant	Polypropylene - Standard
		PPS	PPD
Nom-in	O.D.-mm	(R2)	(R3)
4" x 3"	(110X90)	74.30	74.30
6" x 3"	(160X90)	112.50	112.50
6" x 4"	(160X110)	56.25	56.25
8" x 3"	(200X90)	112.50	112.50
8" x 4"	(200X110)	69.00	69.00
8" x 6"	(200X160)	56.25	56.25
10" x 3"	(250X90)	116.04	116.04
10" x 4"	(250X110)	116.04	116.04
10" x 6"	(250X160)	79.60	79.60
10" x 8"	(250X200)	92.00	92.00
12" x 4"	(315X110)	202.83	202.83
12" x 6"	(315X160)	153.97	153.97
12" x 8"	(315X200)	244.10	244.10
12" x 10"	(315X250)	203.40	203.40
14" x 6"	(355X160)	228.87	228.87
14" x 8"	(355X200)	277.70	277.70
14" x 10"	(355X250)	228.20	228.20
14" x 12"	(355X315)	261.80	261.80
16" x 6"	(400X160)	247.83	247.83
16" x 8"	(400X200)	251.37	251.37
16" x 10"	(400X250)	157.83	157.83
16" x 12"	(400X315)	281.20	281.20
16" x 14"	(400X355)	293.60	293.60
18" x 8"	(450X200)	281.58	281.58
18" x 10"	(450X250)	526.00	526.00
18" x 12"	(450X315)	180.33	180.33
18" x 14"	(450X355)	172.61	172.61
18" x 16"	(450X400)	225.33	225.33
20" x 8"	(500X200)	288.97	288.97
20" x 10"	(500X250)	304.40	304.40
20" x 12"	(500X315)	672.00	672.00
20" x 14"	(500X355)	191.58	191.58
20" x 16"	(500X400)	262.62	262.62
20" x 18"	(500X450)	292.51	292.51
22" x 10"	(560X250)	957.57	957.57
22" x 12"	(560X315)	885.89	885.89
22" x 14"	(560X355)	848.28	848.28
22" x 16"	(560X400)	845.07	845.07
22" x 18"	(560X450)	797.17	797.17
22" x 20"	(560X500)	756.35	756.35
24" x 12"	(630X315)	926.71	926.71
24" x 14"	(630X355)	943.75	943.75
24" x 16"	(630X400)	947.28	947.28
24" x 18"	(630X450)	909.68	909.68
24" x 20"	(630X500)	862.10	862.10
24" x 22"	(630X560)	821.28	821.28

ECCENTRIC REDUCER

Size		Polypropylene - Flame Retardant	Polypropylene - Standard
		PPS	PPD
Nom-in	O.D.-mm	(A2)	(A3)
4" x 3"	(110X90)	116.04	116.04
6" x 3"	(160X90)	262.62	262.62
6" x 4"	(160X110)	153.90	162.70
8" x 3"	(200X90)	285.12	285.12
8" x 4"	(200X110)	288.97	288.97
8" x 6"	(200X160)	169.00	183.00
10" x 3"	(250X90)	285.12	285.12
10" x 4"	(250X110)	292.51	292.51
10" x 6"	(250X160)	201.60	214.00
10" x 8"	(250X200)	229.90	245.90
12" x 4"	(315X110)	415.62	415.62
12" x 6"	(315X160)	453.23	453.23
12" x 8"	(315X200)	316.60	336.10
12" x 10"	(315X250)	277.70	293.60
14" x 6"	(355X160)	521.38	521.38
14" x 8"	(355X200)	360.80	383.80
14" x 10"	(355X250)	297.20	314.80
14" x 12"	(355X315)	261.80	359.10
16" x 6"	(400X160)	579.23	579.23
16" x 8"	(400X200)	520.73	520.73
16" x 10"	(400X250)	606.56	606.56
16" x 12"	(400X315)	424.50	451.00
16" x 14"	(400X355)	382.10	405.10
18" x 8"	(450X200)	1,018.64	1,018.64
18" x 10"	(450X250)	1,022.18	1,022.18
18" x 12"	(450X315)	1,042.75	1,042.75
18" x 14"	(450X355)	974.61	974.61
18" x 16"	(450X400)	909.68	909.68
20" x 8"	(500X200)	1,168.76	1,168.76
20" x 10"	(500X250)	1,209.58	1,209.58
20" x 12"	(500X315)	1,216.33	1,216.33
20" x 14"	(500X355)	1,233.37	1,233.37
20" x 16"	(500X400)	1,162.01	1,162.01
20" x 18"	(500X450)	1,103.82	1,103.82
22" x 10"	(560X250)	1,437.80	1,437.80
22" x 12"	(560X315)	1,328.83	1,328.83
22" x 14"	(560X355)	1,267.44	1,267.44
22" x 16"	(560X400)	1,264.22	1,264.22
22" x 18"	(560X450)	1,199.29	1,199.29
22" x 20"	(560X500)	1,137.90	1,137.90
24" x 12"	(630X315)	1,478.62	1,478.62
24" x 14"	(630X355)	1,417.55	1,417.55
24" x 16"	(630X400)	1,434.59	1,434.59
24" x 18"	(630X450)	1,366.44	1,366.44
24" x 20"	(630X500)	1,366.44	1,366.44
24" x 22"	(630X560)	1,233.37	1,233.37

ProDuct is available up to 48", contact SIMTECH for pricing.

SIMTECH

Phone: 877-777-2467 Fax: 215-547-9129

www.SimtechUSA.com

ProDuct - Fume Exhaust Systems

FLANGE

Size		Polypropylene - Flame Retardant	Polypropylene - Standard
		PPS	PPD
Nom-in	O.D.-mm	(F2)	(F3)
3"	(090)	49.20	49.20
4"	(110)	26.00	26.00
6"	(160)	31.70	31.70
8"	(200)	37.10	37.10
10"	(250)	43.30	43.30
12"	(315)	49.30	49.30
14"	(355)	55.20	55.20
16"	(400)	61.40	61.40
18"	(450)	329.00	329.00
20"	(500)	390.90	390.90
22"	(560)	392.70	392.70
24"	(630)	525.30	525.30

BLIND FLANGE

Size		Polypropylene - Flame Retardant	Polypropylene - Standard
		PPS	PPD
Nom-in	O.D.-mm	(BF2)	(BF3)
4"	(110)	50.40	50.40
6"	(160)	71.70	71.70
8"	(200)	90.15	90.15
10"	(250)	116.70	116.70
12"	(315)	148.65	148.65
14"	(355)	161.85	161.85
16"	(400)	191.10	191.10
18"	(450)	252.00	252.00
20"	(500)	273.30	273.30
22"	(560)	307.80	307.80
24"	(630)	363.45	363.45

EXPANSION JOINT - FLANGED ENDS

Size		Polypropylene - Flame Retardant
		PPS
Nom-in	O.D.-mm	(MA363)
4"	(110F)	259.08
6"	(160F)	315.65
8"	(200F)	381.55
10"	(250F)	432.66
12"	(315F)	514.63
14"	(355F)	572.48
16"	(400F)	667.95
18"	(450F)	1,383.48
20"	(500F)	1,656.06
22"	(560F)	1,737.70
24"	(630F)	2,228.22

EXPANSION JOINT - SOCKET ENDS

Size		Polypropylene- Flame Retardant
		PPS
Nom-in	O.D.-mm	(MA363)
4"	(110M)	217.61
6"	(160M)	266.47
8"	(200M)	326.58
10"	(250M)	347.48
12"	(315M)	446.48
14"	(355M)	555.45
16"	(400M)	650.92
18"	(450M)	1,008.68
20"	(500M)	1,162.01
22"	(560M)	1,437.80
24"	(630M)	1,540.02

FLEXIBLE COUPLING

Size		Polypropylene
		PPD
Size 3" - 6"		(MA3)
Size 8" - 220		(MAG33)
Nom-in	O.D.-mm	
3"	(090)	83.57
4"	(110)	86.79
6"	(160)	102.86
8"	(200)	77.63
10"	(250)	94.50
12"	(315)	104.63
14"	(355)	135.00
16"	(400)	151.88
18"	(450)	172.13
20"	(500)	189.01

PPS is standard inventory, consult factory for availability on PPD

ProDuct is available up to 48", contact SIMTECH for pricing.

ProDuct - Fume Exhaust Systems

DAMPER - ADJUSTABLE LOCKING HANDLE

Size		Polypropylene - Flame Retardant	Polypropylene - Standard
Size 2" - 16"		(DSV2)	(DSV3)
Size 18" - 24"		(D2)	(D3)
Nom-in	O.D.-mm		
3"	(090)	123.75	123.75
4"	(110)	155.70	155.70
6"	(160)	176.90	176.90
8"	(200)	192.80	192.80
10"	(250)	212.30	212.30
12"	(315)	244.10	244.10
14"	(355)	263.60	263.60
16"	(400)	286.50	286.50
18"	(450)	985.00	985.00
20"	(500)	1,059.00	1,059.00
22"	(560)	1,296.00	1,296.00
24"	(630)	1,506.00	1,506.00

DAMPER - VOLUME FLOW CONTROLLER WITH INTERGRATED VENTURI JET

Size		Polypropylene - Flame Retardant	Polypropylene - Standard
		PPS	PPD
Nom-in	O.D.-mm	(VSRD2)	(VSRD3)
4"	(110F)	1,066.54	1,066.54
6"	(160F)	1,202.83	1,202.83
8"	(200F)	1,407.26	1,407.26
10"	(250F)	1,717.13	1,870.46
12"	(315F)	1,996.79	1,996.79
14"	(355F)	P.O.A	0.00
16"	(400F)	P.O.A	0.00
18"	(450F)	P.O.A	0.00
20"	(500F)	P.O.A	0.00

Prices without Actuator, Available with Electric or Pneumatic.

EXHAUST STACK w/ RAIN DEFLECTOR - SOCKET END*

Size		Polypropylene - Flame Retardant	Polypropylene - Standard
		PPS	PPD
Nom-in	O.D.-mm	(RD2110)	(RD3110)
4"	(110)	623.59	623.59
6"	(160)	896.17	896.17
7"	(180)	971.07	971.07
8"	(200)	1,018.64	1,018.64
9"	(225)	1,131.15	1,131.15
10"	(250)	1,213.11	1,213.11
11"	(280)	1,410.48	1,410.48
12"	(315)	1,516.23	1,516.23
14"	(355)	1,659.27	1,659.27
16"	(400)	1,771.78	1,771.78

*Also available with flange ends

DEFLECTOR COWL - SOCKET END*

Size		Polypropylene - Flame Retardant	Polypropylene - Standard
Size 4" - 16"		(DSB21)	(DSB31)
Size 18" - 24"		(DH2)	(DH3)
Nom-in	O.D.-mm		
4"	(110)	275.00	275.00
6"	(160)	320.00	320.00
8"	(200)	384.00	384.00
10"	(250)	497.00	497.00
12"	(315)	596.00	596.00
14"	(355)	660.00	660.00
16"	(400)	757.00	757.00
18"	(450)	1,080.00	1,080.00
20"	(500)	1,218.00	1,218.00
24"	(630)	2,000.00	2,000.00

*Also available with flange ends

PPS is standard inventory, consult factory for availability on PPD

ProDuct is available up to 48", contact SIMTECH for pricing.

SIMTECH

Phone: 877-777-2467 Fax: 215-547-9129

www.SimtechnUSA.com



Notes



Notes



TERMS AND CONDITIONS OF SALE

SHIPMENTS: All shipments are F.O.B. Shipping Point. Unless specified, Simtech will use a carrier we believe best able to serve you. Simtech shall not be liable for failure to deliver or delays in delivering occasioned by acts of God, war, labor difficulties; inability to obtain materials or any other causes whatsoever beyond our control.

CLAIMS: All claims must be made in writing and received by Simtech within 10 days after receipt of merchandise. If a shipment is received in a damaged condition, a claim must be filed with the delivering carrier and noted on the freight bill before you accept the merchandise.

RETURNS: All returns must be accompanied by an M.S.D.S (Material Safety Data Sheet) supplied by end User, and an "RGA" (Return Goods Authorization) form which must be obtained from Simtech prior to shipment. Non warranty returns of fabricated items and pipe are not allowed. Non warranty returns of molded fitting items will be allowed in May and November at a 20% restock charge. Returns at other times will be subject to a 35% restock charge. Minimum restock charge is \$50.00. Unauthorized returns will not be accepted. Freight must be prepaid. Only standard products may be returned for credit if in original condition and reusable

CANCELLATIONS: Cancelled orders will be subject to a charge of 30%

TERMS: 2% 15 days. Net 30 days. A 1-1/2 % per month service charge, subject to applicable law, will be applied to all past due invoices. You shall also be liable for reasonable attorneys' fees incurred by us in collecting any past due invoices.

TAX: Any Federal or State Excise Tax for which we may be liable on any sale will be charged to and paid by the buyer. Buyer is responsible for furnishing tax exempt or resale certificate.

FREIGHT ALLOWANCE: Freight cost will be allowed on orders with a net billing of \$5,500.00 or more, with our choice of carrier, in the continental United States with the exception of Alaska.

MINIMUM BILLING CHARGE: \$100.00 NET.

PRICES AND SPECIFICATIONS OF PRODUCTS SHOWN are subject to change without notice. All orders are subject to prior sales and credit approval.

Simtech Industrial Products, Inc .

47-A Runway Road,
Levittown, PA 19057
Phone (215) 547-0444
Fax 215-547-9129
E-mail: info@SimtechUSA.com
Web site: www.SimtechUSA.com

WARRANTY

Simtech Industrial Products, Inc. products are warranted to be free from defects in materials and workmanship for one (1) year from date of shipment. No claim shall be permitted under this warranty unless Buyer gives Simtech Industrial Products, Inc. written notice of all respects in which Buyer claims the product to be defective. Notice must be received within ten (10) days from the date which the Buyer discovers, or should have discovered the defect. Buyer shall give Simtech Industrial Products, Inc. a reasonable opportunity to inspect the product after notice has been given. This warranty shall not apply to any products or components, which have been subjected to abnormal use, negligence or accident.

Seller's sole obligation under this warranty shall be limited solely on the repair or replacement, as elected by Simtech Industrial Products, Inc., of defective or non-conforming material. To the maximum extent permitted by law, Buyer irrevocably waives all claims for money damages relating to the condition, use and performance of the goods purchased. In no event shall Simtech Industrial Products, Inc. liability exceed the purchase price of the product sold by Simtech Industrial Products. Inc.

In no event, whether because of a breach of warranty or representation or any other cause, whether based upon contract, tort, warranty or otherwise, arising out of the performance or nonperformance by seller of its obligations under this agreement or with respect to the products sold pursuant here to; shall seller be liable for lost earnings, income or profits or indirect, incidental, liquidated or consequential damages.

The implied warranties of merchantability and fitness for a particular purpose except as set forth in this warranty, express or implied, are hereby disclaimed and excluded. Nothing shall be construed as an additional warranty unless specifically designated as such in writing and signed by Simtech Industrial Products, Inc.

Simtech Industrial Products, Inc. reserves the right, in its discretion, at any time and from time to time, to make changes to any specification, data or information contained herein.